



FITTINGS, FLARE & SOLDER

Flare Fittings


Flare Nuts

CODE	MODEL	SIZE INCH
B001	NS4-3	3/16
B002	NS4-4	1/4
B003	NS4-5	5/16
B004	NS4-6	3/8
B005	NS4-8	1/2
B006	NS4-10	5/8
B007	NS4-12	3/4




Reducing Flare Nuts

CODE	MODEL	SIZE INCH
B010	NRS4-43	1/4 x 3/16
B011	NRS4-54	5/16 x 1/4
B012	NRS4-64	3/8 x 1/4
B013	NRS4-65	3/8 x 5/16
B014	NRS4-86	1/2 x 3/8
B015	NRS4-108	5/8 x 1/2
B016	NRS4-1210	3/4 x 5/8



Reducing Flare Connectors

CODE	MODEL	SIZE INCH
B028	UR2-43	1/4 x 3/16
B029	UR2-54	5/16 x 1/4
B030	UR2-64	3/8 x 1/4
B031	UR2-65	3/8 x 5/16
B032	UR2-84	1/2 x 1/4
B033	UR2-86	1/2 x 3/8
B034	UR2-104	5/8 x 1/4
B035	UR2-106	5/8 x 3/8
B036	UR2-108	5/8 x 1/2
B037	UR2-126	3/4 x 3/8
B038	UR2-128	3/4 x 1/2
B039	UR2-1210	3/4 x 5/8



Equal Flare Connectors

CODE	MODEL	SIZE INCH
B019	U2-3	3/16
B020	U2-4	1/4
B021	U2-5	5/16
B022	U2-6	3/8
B023	U2-8	1/2
B024	U2-10	5/8
B025	U2-12	3/4



Equal Flare Elbow

CODE	MODEL	SIZE INCH
B083	E2-4	1/4
B084	E2-6	3/8
B085	E2-8	1/2



Flare Cap Nuts

CODE	MODEL	SIZE INCH
B043	N5-4	1/4
B044	N5-5	5/16
B045	N5-6	3/8
B046	N5-8	1/2
B047	N5-10	5/8



Elbow, Male Flare x MPT

CODE	MODEL	SIZE INCH
B090	E1-4A	1/4 x 1/8
B091	E1-48	1/4 x 1/4



Flare Fittings

Flare Reducer, Female x Male Flare

CODE	MODEL	SIZE INCH
B049	UR3-64	3/8 x 1/4
B050	UR3-84	1/2 x 1/4
B051	UR3-46	1/4 x 3/8
B052	UR3-106	5/8 x 3/8
B053	UR3-86	1/2 x 3/8
B054	UR3-48	1/4 x 1/2
B055	UR3-68	3/8 x 1/2
B056	UR3-108	5/8 x 1/2
B057	UR3-128	3/4 x 1/2
B058	UR3-610	3/8 x 5/8
B059	UR3-810	1/2 x 5/8
B060	UR3-1210	3/4 x 5/8
B061	UR3-812	1/2 x 3/4
B062	UR3-1012	5/8 x 3/4



Half Union, Male Flare x MPT

CODE	MODEL	SIZE INCH
B075	U1-4A	1/4 x 1/8
B076	U1-4B	1/4 x 1/4
B077	U1-4C	1/4 x 3/8
B078	U1-6A	3/8 x 1/8
B079	U1-6B	3/8 x 1/4
B080	U1-6C	3/8 x 3/8
B082	U1-8B	1/2 x 1/4



Pipe Plug (MPT)

CODE	MODEL	SIZE INCH
B103	P3-A	1/8
B104	P3-B	1/4
B105	P3-C	3/8
B106	P3-D	1/2



Female Coupling, Male Flare x FPT

CODE	MODEL	SIZE INCH
B065	U3-4A	1/4 x 1/8
B066	U3-4B	1/4 x 1/4
B067	U3-4C	1/4 x 3/8
B068	U3-6A	3/8 x 1/8
B069	U3-6B	3/8 x 1/4



Female Flare Connectors

CODE	MODEL	SIZE INCH
B092	U4-4	1/4
B093	U4-6	3/8
B094	U4-8	1/2



Flare Plug

CODE	MODEL	SIZE INCH
B096	P2-4	1/4
B098	P2-6	3/8
B099	P2-8	1/2
B100	P2-10	5/8



Fusible Plug

CODE	MODEL	TEMP	SIZE INCH
B108	FP-A	99°C	1/8 MPT
B109	FP-B	99°C	1/4 MPT
B110	FP-C	99°C	3/8 MPT



Flare Fittings

Flare Bonnet

CODE	MODEL	SIZE INCH
B113	B1-4	1/4
B114	B1-5	5/16
B115	B1-6	3/8
B116	B1-8	1/2
B117	B1-10	5/8
B118	B1-12	3/4
B119	B1-14	7/8



Flare Gasket

CODE	MODEL	SIZE INCH
B123	B2-4	1/4
B124	B2-5	5/16
B125	B2-6	3/8
B126	B2-8	1/2
B127	B2-10	5/8
B128	B2-12	3/4




Equal Flare Tee

CODE	MODEL	SIZE INCH
B133	T2-4	1/4
B135	T2-6	3/8
B136	T2-8	1/2
B137	T2-10	5/8




Flare Tee, Branch Increasing

CODE	MODEL	SIZE INCH
B140	TR2-46	1/4 x 1/4 x 3/8
B142	TR2-68	3/8 x 3/8 x 1/2




Flare Tee, Branch Reducing

CODE	MODEL	SIZE INCH
B150	TR2-64	3/8 x 3/8 x 1/4
B151	TR2-84	1/2 x 1/2 x 1/4
B152	TR2-86	1/2 x 1/2 x 3/8




Tee, Male Flare x MPT

CODE	MODEL	SIZE INCH
B160	T1-4A	1/4 x 1/8
B161	T1-4B	1/4 x 1/4




Tee, Male Flare x FPT

CODE	MODEL	SIZE INCH
B170	T5-4A	1/4 MF x 1/8 FPT



Tee, Male Flare x Female


CODE	MODEL	SIZE INCH
B180	5686	1/4



Flare Adapters

Flare Adapters can be used to replace flare fittings. A sleeve is brazed to the tube and the seal is made by a copper gasket. This enables a new gasket to be fitted each time the connection is broken.

CODE	MODEL	SIZE INCH
B190	FA-2	1/4
B191	FA-3	3/8
B192	FA-4	1/2
B193	FA-5	5/8



Thread Sealant

Diversitech Leak Lock is a state-of-the-art high strength, pipe joint sealant. When Leak Lock is applied to pipe joints, it adheres to the mating surfaces. After joints are assembled, Leak Lock sets to form a chemically resistant flexible fluid-tight seal.

RectorSeal® Tru-Blu™ pipe thread sealant with PTFE is a fast-dry, flexible set thread sealant designed for high vibration environments such as refrigeration and industrial applications. PTFE has been added to enhance thread lubrication during assembly and break out. Great for use as a positive lock and seal on threaded fasteners.

LOCTITE® 577 is designed for the locking and sealing of metal threaded pipes and fittings. The product cures when confined in the absence of air between close fitting metal surfaces and prevents loosening and leakage from shock and vibration.

CODE	MODEL	PACK SIZE
Q262	Leak Lock	40ml
B197	Tru-Blu	50gram
N087	Loctite 577	50ml



Solder Fitting

90° Elbow, Short Radius (C x C)

CODE	MODEL	SIZE INCH
B200	9607	1/4
B201	9607	3/8
B202	9607	1/2
B203	9607	5/8
B204	9607	3/4
B205	9607	7/8
B206	9607	1-1/8
B207	9607	1-3/8
B208	9607	1-5/8
B209	9607	2-1/8
B210	9607	2-5/8
B211	9607	3-1/8
B212	9607	3-5/8
B213	9607	4-1/8



90° Bend, Long Radius (C x C)

CODE	MODEL	SIZE INCH
B214	9607 LT	1/4
B215	9607 LT	3/8
B216	9607 LT	1/2
B217	9607 LT	5/8
B218	9607 LT	3/4
B219	9607 LT	7/8
B220	9607 LT	1-1/8
B221	9607 LT	1-3/8
B222	9607 LT	1-5/8
B223	9607 LT	2-1/8
B224	9607 LT	2-5/8
B225	9607 LT	3-1/8
B226	9607 LT	3-5/8
B227	9607 LT	4-1/8



90° Elbow, Fitting x Copper, Short Radius (F x C)

CODE	MODEL	SIZE INCH
B430	9607-2	1/2
B431	9607-2	5/8
B432	9607-2	3/4
B433	9607-2	7/8
B434	9607-2	1-1/8
B435	9607-2	1-3/8
B436	9607-2	1-5/8
B437	9607-2	2-1/8
B438	9607-2	2-5/8
B439	9607-2	3-1/8



90° Bend, Fitting x Copper, Long Radius (F x C)


CODE	MODEL	SIZE INCH
B228	9607-2 LT	1/4
B229	9607-2 LT	3/8
B230	9607-2 LT	1/2
B231	9607-2 LT	5/8
B232	9607-2 LT	3/4
B233	9607-2 LT	7/8
B234	9607-2 LT	1-1/8
B235	9607-2 LT	1-3/8
B236	9607-2 LT	1-5/8
B237	9607-2 LT	2-1/8
B444	9607-2 LT	2-5/8
B445	9607-2 LT	3-1/8
B446	9607-2 LT	3-5/8
B447	9607-2 LT	4-1/8



Solder Fitting

Equal Tee Copper x Copper (C x C)


CODE	MODEL	SIZE INCH
B340	9611	1/4
B341	9611	3/8
B342	9611	1/2
B343	9611	5/8
B344	9611	3/4
B345	9611	7/8
B346	9611	1-1/8
B347	9611	1-3/8
B348	9611	1-5/8
B349	9611	2-1/8
B350	9611	2-5/8
B351	9611	3-1/8
B352	9611	3-5/8
B353	9611	4-1/8



See Pages 44 & 45 For Reducing Tees

Coupling Copper x Copper (C x C)

CODE	MODEL	SIZE INCH
B355	9600	1/4
B356	9600	3/8
B357	9600	1/2
B358	9600	5/8
B359	9600	3/4
B360	9600	7/8
B361	9600	1-1/8
B362	9600	1-3/8
B363	9600	1-5/8
B364	9600	2-1/8
B365	9600	2-5/8
B366	9600	3-1/8
B367	9600	3-5/8
B368	9600	4-1/8




45° Elbow (C x C)

CODE	MODEL	SIZE INCH
B328	9606	1/4
B329	9606	3/8
B327	9606	1/2
B330	9606	5/8
B331	9606	3/4
B332	9606	7/8
B333	9606	1-1/8
B334	9606	1-3/8
B335	9606	1-5/8
B336	9606	2-1/8
B450	9606	2-5/8
B451	9606	3-1/8
B452	9606	3-5/8
B453	9606	4-1/8



45° Elbow (F x C)

CODE	MODEL	SIZE INCH
B522	9606-2	3/8
B523	9606-2	1/2
B524	9606-2	5/8
B520	9606-2	3/4
B525	9606-2	7/8
B526	9606-2	1-1/8
B527	9606-2	1-3/8
B528	9606-2	1-5/8
B529	9606-2	2-1/8
B530	9606-2	2-5/8
B531	9606-2	3-1/8




Solder Fitting

Coupling Reducer - Copper to Copper (C x C)

CODE	MODEL	SIZE INCH		
B285	9600	3/8	x	1/4
B286	9600	1/2	x	3/8
B287	9600	1/2	x	1/4
B288	9600	5/8	x	1/2
B501	9600	5/8	x	1/4
B289	9600	5/8	x	3/8
B290	9600	3/4	x	5/8
B500	9600	3/4	x	3/8
B291	9600	3/4	x	1/2
B292	9600	7/8	x	3/4
B293	9600	7/8	x	5/8
B294	9600	7/8	x	1/2
B580	9600	7/8	x	3/8
B295	9600	1-1/8	x	7/8
B296	9600	1-1/8	x	3/4
B297	9600	1-1/8	x	5/8
B298	9600	1-1/8	x	1/2
B505	9600	1-3/8	x	5/8
B299	9600	1-3/8	x	1-1/8
B300	9600	1-3/8	x	7/8
B301	9600	1-5/8	x	1-3/8
B508	9600	1-5/8	x	5/8
B302	9600	1-5/8	x	1-1/8
B303	9600	1-5/8	x	7/8
B511	9600	2-1/8	x	7/8
B512	9600	2-1/8	x	1-1/8
B513	9600	2-1/8	x	1-3/8
B304	9600	2-1/8	x	1-5/8
B510	9600	2-1/8	x	5/8
B511	9600	2-1/8	x	7/8
B512	9600	2-1/8	x	1-1/8
B305	9600	2-5/8	x	2-1/8
B515	9600	2-5/8	x	1-1/8
B516	9600	2-5/8	x	1-3/8
B306	9600	2-5/8	x	1-5/8
B307	9600	3-1/8	x	2-5/8
B308	9600	3-1/8	x	2-1/8
B309	9600	3-1/8	x	1-5/8
B310	9600	3-5/8	x	3-1/8
B311	9600	4-1/8	x	3-5/8
B312	9600	4-1/8	x	3-1/8
B313	9600	4-1/8	x	2-5/8
B314	9600	4-1/8	x	2-1/8

Coupling Reducer - Fitting to Copper (F x C)

CODE	MODEL	SIZE INCH		
B254	9600-2	3/4	x	3/8
B255	9600-2	3/8	x	1/4
B256	9600-2	1/2	x	3/8
B257	9600-2	1/2	x	1/4
B258	9600-2	5/8	x	1/2
B259	9600-2	5/8	x	3/8
B260	9600-2	3/4	x	5/8
B261	9600-2	3/4	x	1/2
B518	9600-2	7/8	x	3/8
B262	9600-2	7/8	x	3/4
B263	9600-2	7/8	x	5/8
B264	9600-2	7/8	x	1/2
B265	9600-2	1-1/8	x	7/8
B266	9600-2	1-1/8	x	3/4
B267	9600-2	1-1/8	x	5/8
B268	9600-2	1-1/8	x	1/2
B269	9600-2	1-3/8	x	1-1/8
B270	9600-2	1-3/8	x	7/8
B271	9600-2	1-3/8	x	5/8
B272	9600-2	1-5/8	x	1-3/8
B273	9600-2	1-5/8	x	1-1/8
B274	9600-2	1-5/8	x	7/8
B275	9600-2	1-5/8	x	5/8
B276	9600-2	2-1/8	x	1-5/8
B277	9600-2	2-1/8	x	1-3/8
B278	9600-2	2-1/8	x	1-1/8
B279	9600-2	2-1/8	x	7/8
B338	9600-2	2-1/8	x	5/8
B280	9600-2	2-5/8	x	2-1/8
B281	9600-2	2-5/8	x	1-5/8
B468	9600-2	2-5/8	x	1-3/8
B572	9600-2	2-5/8	x	1-1/8
B282	9600-2	3-1/8	x	2-5/8
B283	9600-2	3-1/8	x	2-1/8
B284	9600-2	3-1/8	x	1-5/8
B574	9600-2	3-1/8	x	1-3/8
B401	9600-2	3-5/8	x	2-5/8
B249	9600-2	3-5/8	x	3-1/8
B250	9600-2	4-1/8	x	3-5/8
B251	9600-2	4-1/8	x	3-1/8
B252	9600-2	4-1/8	x	2-5/8
B253	9600-2	4-1/8	x	2-1/8



Solder Fitting


180° Return Bend (C x C)

CODE	MODEL	SIZE INCH
B240	9638	3/8
B241	9638	1/2
B242	9638	5/8
B243	9638	3/4
B244	9638	7/8
B245	9638	1-1/8
B246	9638	1-3/8
B247	9638	1-5/8
B248	9638	2-1/8




Oil Trap (C x C)

CODE	MODEL	SIZE INCH
B315	9698	5/8
B316	9698	3/4
B317	9698	7/8
B318	9698	1-1/8
B319	9698	1-3/8
B320	9698	1-5/8
B321	9698	2-1/8




Adaptor Solder to MPT

CODE	MODEL	SIZE INCH
B370	9604	5/8 x 1/2
B371	9604	7/8 x 3/4
B372	9604	1-1/8 x 1
B373	9604	1-3/8 x 1-1/4
B374	9604	1-5/8 x 1-1/2
B375	9604	2-1/8 x 2



Adaptor Solder to FPT

CODE	MODEL	SIZE INCH
B381	9604	7/8 x 3/4
B382	9604	1-1/8 x 1
B383	9604	1-5/8 x 1-1/2
B384	9604	2-1/8 x 2



End Cap


CODE	MODEL	SIZE INCH
B389	9617	3/8
B390	9617	1/2
B391	9617	5/8
B392	9617	3/4
B393	9617	7/8
B394	9617	1-1/8
B395	9617	1-3/8
B396	9617	1-5/8
B397	9617	2-1/8
B398	9617	2-5/8
B399	9617	3-1/8
B455	9617	4-1/8



Solder Fitting

Reducing Tees (Last Size Branch) (C x C x C)



CODE	MODEL	SIZE INCH (C x C x C)					
B601	9610-0000	1/4	x	1/4	x	3/8	
B409	9610-0000	3/8	x	3/8	x	1/4	
B410	9610-0000	3/8	x	3/8	x	1/2	
B600	9610-0000	1/2	x	3/8	x	3/8	
B604	9610-0000	1/2	x	3/8	x	1/2	
B602	9610-0000	1/2	x	1/2	x	1/4	
B411	9610-0000	1/2	x	1/2	x	3/8	
B412	9610-0000	1/2	x	1/2	x	5/8	
B606	9610-000	5/8	x	3/8	x	1/2	
B607	9610-0000	5/8	x	1/2	x	3/8	
B560	9610-0000	5/8	x	1/2	x	1/2	
B609	9610-0000	5/8	x	1/2	x	5/8	
B561	9610-0000	5/8	x	5/8	x	3/8	
B413	9610-0000	5/8	x	5/8	x	1/2	
B613	9610-0000	5/8	x	5/8	x	3/4	
B414	9610-0000	5/8	x	5/8	x	7/8	
B415	9610-0000	5/8	x	5/8	x	1-1/8	
B614	9610-0000	3/4	x	5/8	x	5/8	
B616	9610-0000	3/4	x	3/4	x	3/8	
B618	9610-0000	3/4	x	3/4	x	1/2	
B620	9610-0000	3/4	x	3/4	x	5/8	
B622	9610-0000	3/4	x	3/4	x	7/8	
B629	9610-0000	7/8	x	1/2	x	1/2	
B624	9610-0000	7/8	x	1/2	x	7/8	
B626	9610-0000	7/8	x	5/8	x	1/2	
B628	9610-0000	7/8	x	5/8	x	5/8	
B562	9610-0000	7/8	x	5/8	x	7/8	
B564	9610-0000	7/8	x	7/8	x	3/8	
B418	9610-0000	7/8	x	7/8	x	1/2	
B417	9610-0000	7/8	x	7/8	x	5/8	
B634	9610-0000	7/8	x	7/8	x	1-1/8	
B639	9610-0000	1-1/8	x	5/8	x	5/8	
B538	9610-0000	1-1/8	x	5/8	x	7/8	
B638	9610-0000	1-1/8	x	5/8	x	1-1/8	
B540	9610-0000	1-1/8	x	7/8	x	7/8	
B640	9610-0000	1-1/8	x	7/8	x	5/8	
B646	9610-0000	1-1/8	x	7/8	x	1-1/8	
B565	9610-0000	1-1/8	x	1-1/8	x	1/2	
B419	9610-0000	1-1/8	x	1-1/8	x	5/8	
B542	9610-0000	1-1/8	x	1-1/8	x	3/4	
B416	9610-0000	1-1/8	x	1-1/8	x	7/8	
B566	9610-0000	1-1/8	x	1-1/8	x	1-3/8	
B650	9610-0000	1-1/8	x	1-1/8	x	1-5/8	
B544	9610-0000	1-1/8	x	1-3/8	x	1-3/8	
B652	9610-0000	1-3/8	x	7/8	x	7/8	
B545	9610-0000	1-3/8	x	7/8	x	1-1/8	
B654	9610-0000	1-3/8	x	7/8	x	1-3/8	
B656	9610-0000	1-3/8	x	1-1/8	x	5/8	
B427	9610-0000	1-3/8	x	1-1/8	x	7/8	
B567	9610-0000	1-3/8	x	1-1/8	x	1-1/8	
B425	9610-0000	1-3/8	x	1-3/8	x	5/8	
B421	9610-0000	1-3/8	x	1-3/8	x	7/8	
B420	9610-0000	1-3/8	x	1-3/8	x	1-1/8	
B660	9610-0000	1-3/8	x	1-1/8	x	1-3/8	



Solder Fitting

Reducing Tees (Last Size Branch) (C x C x C)

CODE	MODEL	SIZE INCH (C x C x C)					
B568	9610-0000	1-3/8	x	1-3/8	x	1-5/8	
B663	9610-0000	1-3/8	x	1-3/8	x	2-1/8	
B665	9610-0000	1-5/8	x	7/8	x	7/8	
B669	9610-0000	1-5/8	x	7/8	x	1-5/8	
B664	9610-0000	1-5/8	x	1-1/8	x	7/8	
B666	9610-0000	1-5/8	x	1-1/8	x	1-1/8	
B668	9610-0000	1-5/8	x	1-1/8	x	1-5/8	
B429	9610-0000	1-5/8	x	1-3/8	x	7/8	
B670	9610-0000	1-5/8	x	1-3/8	x	1-1/8	
B569	9610-0000	1-5/8	x	1-3/8	x	1-3/8	
B673	9610-0000	1-5/8	x	1-3/8	x	1-5/8	
B678	9610-0000	1-5/8	x	1-5/8	x	2-1/8	
B674	9610-0000	1-5/8	x	1-5/8	x	5/8	
B676	9610-0000	1-5/8	x	1-5/8	x	7/8	
B423	9610-0000	1-5/8	x	1-5/8	x	1-1/8	
B422	9610-0000	1-5/8	x	1-5/8	x	1-3/8	
B552	9610-0000	2-1/8	x	2-1/8	x	5/8	
B554	9610-0000	2-1/8	x	2-1/8	x	7/8	
B680	9610-0000	2-1/8	x	1-3/8	x	1-1/8	
B682	9610-0000	2-1/8	x	1-3/8	x	1-3/8	
B549	9610-0000	2-1/8	x	1-3/8	x	2-1/8	
B686	9610-0000	2-1/8	x	1-5/8	x	1-1/8	
B550	9610-0000	2-1/8	x	1-5/8	x	1-3/8	
B424	9610-0000	2-1/8	x	2-1/8	x	1-1/8	
B556	9610-0000	2-1/8	x	2-1/8	x	1-3/8	
B688	9610-0000	2-1/8	x	1-5/8	x	1-5/8	
B694	9610-0000	2-1/8	x	2-1/8	x	1-5/8	
B570	9610-0000	2-1/8	x	2-1/8	x	2-5/8	
B555	9610-0000	2-5/8	x	2-1/8	x	1-5/8	
B571	9610-0000	2-5/8	x	2-1/8	x	2-1/8	
B700	9610-0000	2-5/8	x	2-5/8	x	7/8	
B702	9610-0000	2-5/8	x	2-5/8	x	1-1/8	
B558	9610-0000	2-5/8	x	2-5/8	x	1-3/8	
B706	9610-0000	2-5/8	x	2-5/8	x	1-5/8	
B708	9610-0000	2-5/8	x	2-5/8	x	2-1/8	
B710	9610-0000	3-1/8	x	3-1/8	x	1-5/8	
B712	9610-0000	3-1/8	x	3-1/8	x	2-1/8	
B470	9610-0000	4-1/8	x	4-1/8	x	2-1/8	
B471	9610-0000	4-1/8	x	4-1/8	x	2-5/8	
B472	9610-0000	4-1/8	x	4-1/8	x	3-1/8	



>B< MaxiPro Copper Press Fittings

An innovative press system, which is quick and simple to install, providing a secure and permanent joint. Designed for air conditioning and refrigeration applications. Benefiting from over 100 years experience in fittings manufacture and over two decades experience in press system design, >B< MaxiPro is set to revolutionise pipe jointing in air conditioning and refrigeration applications.

>B< MaxiPro is a robust press system, which is quick and simple to use providing a secure and permanent joint. Compared with traditional techniques it significantly improves productivity through greatly reduced installation time and enhanced working flexibility.

>B< MaxiPro Straight Coupler

CODE	SIZE	DESCRIPTION	PK QTY
B8001	1/4"	Straight Coupler (MaxiPro)	5
B8002	3/8"	Straight Coupler (MaxiPro)	5
B8003	1/2"	Straight Coupler (MaxiPro)	5
B8004	5/8"	Straight Coupler (MaxiPro)	5
B8005	3/4"	Straight Coupler (MaxiPro)	2
B8006	7/8"	Straight Coupler (MaxiPro)	2
B8007	1"	Straight Coupler (MaxiPro)	2
B8008	1-1/8"	Straight Coupler (MaxiPro)	2
B8116	1-3/8"	Straight Coupler (MaxiPro)	1



>B< MaxiPro 90° Bend

CODE	SIZE	DESCRIPTION	PK QTY
B8012	1/4"	90° Bend (MaxiPro)	5
B8013	3/8"	90° Bend (MaxiPro)	5
B8014	1/2"	90° Bend (MaxiPro)	3
B8015	5/8"	90° Bend (MaxiPro)	3
B8016	3/4"	90° Bend (MaxiPro)	3
B8017	7/8"	90° Bend (MaxiPro)	3
B8018	1"	90° Bend (MaxiPro)	2
B8019	1-1/8"	90° Bend (MaxiPro)	2
B8117	1-3/8"	90° Bend (MaxiPro)	1



>B< MaxiPro 90° Street Bend

CODE	SIZE	DESCRIPTION	PK QTY
B8025	3/8"	90° Street Bend (MaxiPro)	3
B8026	1/2"	90° Street Bend (MaxiPro)	3
B8027	5/8"	90° Street Bend (MaxiPro)	3
B8028	3/4"	90° Street Bend (MaxiPro)	3
B8029	7/8"	90° Street Bend (MaxiPro)	3
B8030	1"	90° Street Bend (MaxiPro)	2
B8031	1-1/8"	90° Street Bend (MaxiPro)	2
B8118	1-3/8"	90° Street Bend (MaxiPro)	1



>B< MaxiPro Equal Tee

CODE	SIZE	DESCRIPTION	PK QTY
B8035	1/4"	Equal Tee (MaxiPro)	3
B8036	3/8"	Equal Tee (MaxiPro)	3
B8037	1/2"	Equal Tee (MaxiPro)	3
B8038	5/8"	Equal Tee (MaxiPro)	2
B8039	3/4"	Equal Tee (MaxiPro)	2
B8040	7/8"	Equal Tee (MaxiPro)	2
B8041	1"	Equal Tee (MaxiPro)	1
B8042	1-1/8"	Equal Tee (MaxiPro)	1
B8119	1-3/8"	Equal Tee (MaxiPro)	1



>B< MaxiPro Copper Press Fittings

>B< MaxiPro can be used with hard, half hard or annealed copper tube conforming to EN 12735-1 or ASTM-B280, in both air conditioning and refrigeration applications and is approved for use with the following refrigerants: R1234yf, R1234ze, R32, R134a, R404A, R407C, R407F, R410A and R507.

>B< MaxiPro Reducing Coupler

CODE	SIZE	DESCRIPTION	PK QTY
B8009	3/8" x 1/4"	Reducing Coupler (MaxiPro)	2
B8046	1/2" x 3/8"	Reducing Coupler (MaxiPro)	2
B8047	5/8" x 3/8"	Reducing Coupler (MaxiPro)	2
B8048	5/8" x 1/2"	Reducing Coupler (MaxiPro)	2
B8049	3/4" x 3/8"	Reducing Coupler (MaxiPro)	2
B8050	3/4" x 1/2"	Reducing Coupler (MaxiPro)	2
B8051	3/4" x 5/8"	Reducing Coupler (MaxiPro)	2
B8052	7/8" x 1/2"	Reducing Coupler (MaxiPro)	2
B8053	7/8" x 5/8"	Reducing Coupler (MaxiPro)	2
B8054	7/8" x 3/4"	Reducing Coupler (MaxiPro)	2
B8055	1-1/8" x 5/8"	Reducing Coupler (MaxiPro)	1
B8056	1-1/8" x 3/4"	Reducing Coupler (MaxiPro)	1
B8057	1-1/8" x 7/8"	Reducing Coupler (MaxiPro)	1
B8120	1-3/8" x 7/8"	Reducing Coupler (MaxiPro)	1
B8121	1-3/8" x 1-1/8"	Reducing Coupler (MaxiPro)	1



>B< MaxiPro Fitting Reducer

CODE	SIZE	DESCRIPTION	PK QTY
B8062	3/8" x 1/4"	Fitting Reducer (MaxiPro)	2
B8063	1/2" x 3/8"	Fitting Reducer (MaxiPro)	2
B8064	5/8" x 3/8"	Fitting Reducer (MaxiPro)	2
B8065	5/8" x 1/2"	Fitting Reducer (MaxiPro)	2
B8066	3/4" x 1/2"	Fitting Reducer (MaxiPro)	2
B8067	3/4" x 5/8"	Fitting Reducer (MaxiPro)	2
B8068	7/8" x 1/2"	Fitting Reducer (MaxiPro)	2
B8069	7/8" x 5/8"	Fitting Reducer (MaxiPro)	2
B8070	7/8" x 3/4"	Fitting Reducer (MaxiPro)	2
B8071	1-1/8" x 1/2"	Fitting Reducer (MaxiPro)	1
B8072	1-1/8" x 5/8"	Fitting Reducer (MaxiPro)	1
B8073	1-1/8" x 3/4"	Fitting Reducer (MaxiPro)	1
B8074	1-1/8" x 7/8"	Fitting Reducer (MaxiPro)	1
B8122	1-3/8" x 7/8"	Fitting Reducer (MaxiPro)	1
B8123	1-3/8" x 1-1/8"	Fitting Reducer (MaxiPro)	1



>B< MaxiPro 45° Bend

CODE	SIZE	DESCRIPTION	PK QTY
B8080	1/4"	45° Bend (MaxiPro)	3
B8081	3/8"	45° Bend (MaxiPro)	3
B8082	1/2"	45° Bend (MaxiPro)	3
B8083	5/8"	45° Bend (MaxiPro)	3
B8084	3/4"	45° Bend (MaxiPro)	3
B8085	7/8"	45° Bend (MaxiPro)	3
B8086	1"	45° Bend (MaxiPro)	2
B8087	1-1/8"	45° Bend (MaxiPro)	2
B8124	1-3/8"	45° Bend (MaxiPro)	1



Conex | Bänninger

>B< MaxiPro

>B< MaxiPro Copper Press Fittings

>B< Maxipro Stop End

CODE	SIZE	DESCRIPTION	PK QTY
B8090	1/4"	Stop End (MaxiPro)	3
B8091	3/8"	Stop End (MaxiPro)	3
B8092	1/2"	Stop End (MaxiPro)	3
B8093	5/8"	Stop End (MaxiPro)	2
B8094	3/4"	Stop End (MaxiPro)	2
B8095	7/8"	Stop End (MaxiPro)	2
B8096	1"	Stop End (MaxiPro)	1
B8097	1-1/8"	Stop End (MaxiPro)	1
B8125	1-3/8"	Stop End (MaxiPro)	1



>B< Maxipro Long Repair Coupler

CODE	SIZE	DESCRIPTION	PK QTY
B8100	1/4"	Long Repair Coupler (MaxiPro)	5
B8101	3/8"	Long Repair Coupler (MaxiPro)	5
B8102	1/2"	Long Repair Coupler (MaxiPro)	5
B8103	5/8"	Long Repair Coupler (MaxiPro)	3
B8104	3/4"	Long Repair Coupler (MaxiPro)	2
B8105	7/8"	Long Repair Coupler (MaxiPro)	2
B8106	1"	Long Repair Coupler (MaxiPro)	1
B8107	1-1/8"	Long Repair Coupler (MaxiPro)	1



>B< Maxipro Simple Flare Adaptor

CODE	SIZE	DESCRIPTION	PK QTY
B8108	1/4"	Simple Flare Adaptor (MaxiPro)	4
B8109	3/8"	Simple Flare Adaptor (MaxiPro)	4
B8110	1/2"	Simple Flare Adaptor (MaxiPro)	2
B8111	5/8"	Simple Flare Adaptor (MaxiPro)	2
B8112	3/4"	Simple Flare Adaptor (MaxiPro)	2



>B< Maxipro Depth Accessories

Replacement >B< Maxipro depth gauge, includes >B< Maxipro branded Sharpie permanent marker. >B< Maxipro Silicone Lubrication Oil use on new fittings for extra lubrication and perfect for re-lubricating fittings dried out once pack has been opened.

CODE	DESCRIPTION	PK QTY
B8114	>B< Maxipro Depth Gauge and Marker	1
B8115	>B< Maxipro Lubrication Oil	1



>B< MaxiPro Press Tools

Rothenberger Romax Compact III Kit (1/4" - 1-1/8")

Rothenberger ROMAX Compact III Press Tool inc 1 x set of jaws from 1/4" to 1-1/8". 1 x 18V (2.0Ah) Battery, Charger, Int/Ext Deburrer, TC35 Tube Cutter, Internal Pen Deburrer, Rovlies Cleaning Pads, 2 x Rocase's one for the tool & one for the jaws.

CODE	DESCRIPTION
Q8100	Rothenberger Romax Compact III Kit
Q8110	Rothenberger Romax Compact III "Starter" Kit c/w 90 fittings*

* Starter kit includes 90 fittings: 15 x 3/8", 15 x 1/2", 15 x 5/8" Couplers & 15 x 3/8", 15 x 1/2", 15 x 5/8" Elbows



Rothenberger Romax Compact III Press Tool Only

This reduced kit only includes the Rothenberger Romax Compact III press tool, a battery and carry case.

CODE	DESCRIPTION
Q8102	Rothenberger Romax Compact III Press Tool Only with Battery Charger and Carry Case.



Jaws Shown Not Included

>B< MaxiPro Press Tools

Rothenberger Romax Compact TT & Romax 4000 Accessories

CODE	DESCRIPTION
Q8105	8 Piece Romax Compact III Jaw Set Only (1/4" - 1-1/8")
Q8103	Romax Compact III Battery Only (18V-2Ah)
Q8106	Romax Compact III Mains Battery Charger (only)
Q8112	Romax 4000 Battery Only (18V-2Ah)



Rothenberger Romax 4000 Kit (1/4" - 1-3/8")

Rothenberger ROMAX 4000 Press Tool inc 1 x set of jaws from 1/4" to 1-3/8". 1 x 18V (2.0Ah) Battery, Charger and Carry Case. Note: the 1-3/8 NOVOPRESS JAW comes in its own separate case.

CODE	DESCRIPTION
Q8107	Rothenberger Romax 4000 Kit C/W 1/4" - 1-3/8" Jaws etc.



Rothenberger Romax 4000 (Tool Only)

Rothenberger Romax 4000 tool only complete with battery, mains battery charger and carry case

CODE	DESCRIPTION
Q8108	Rothenberger Romax 4000 Tool Only C/W Battery, Charger and Carry Case.



NOVOPRESS 1-3/8" Jaw for ROMAX 4000

1-3/8" NOVOPRESS Jaw only for Romax 4000 Press Tool with case. PLEASE NOTE: Romax 4000 jaws are not compatible with the Compact TT Press Tool and vice versa.

CODE	DESCRIPTION
Q8109	Rothenberger Romax 4000 1-3/8" Jaw (Only) Inc carry case





Rapid-O Push Fit Connectors

Rapid-O Push Fit Connectors and Elbows
 Joints pipe in seconds !

- Quick & easy push fit connection for 1/4" 3/8" 1/2" 5/8"
- Flame free: No Brazing or Flaring
- Quick release via optional removal tools
- Robust brass body, durable and reliable.
- High tensile strength
- Vibration & impact resistant • UV & Corrosion resistant
- Ideal for brazing stubs on compressor in workshop then using quick connect fittings on site avoiding any hot works.

CODE	SIZE	DESCRIPTION	PK QTY
B8300	1/4"	Rapid-O® Connector	5
B8301	3/8"	Rapid-O® Connector	5
B8302	1/2"	Rapid-O® Connector	5
B8303	5/8"	Rapid-O® Connector	5
B8310	1/4"	Rapid-O® S/R Elbow	5
B8311	3/8"	Rapid-O® S/R Elbow	5
B8312	1/2"	Rapid-O® S/R Elbow	5
B8313	5/8"	Rapid-O® S/R Elbow	5
B8304	1/4" + 3/8"	Rapid-O® Depth Marker Tool	1
B8305	1/2" + 5/8"	Rapid-O® Depth Marker Tool	1
B8306	1/4"	Rapid-O® Release Tool	1
B8307	3/8"	Rapid-O® Release Tool	1
B8308	1/2"	Rapid-O® Release Tool	1
B8309	5/8"	Rapid-O® Release Tool	1



SPECIFICATIONS

- Suitable for all HFC, HFO, A2L & A3 refrigerants • MWP: 870 psig (60bar)
- Temp Range: -40°C to 120°C • Vacuum Rating: 30 Microns
- Suitable for soft and half hard copper 1/4" 3/8" 1/2" 5/8"

Not suitable for C02

High Pressure CO₂ Copper Fittings

High pressure CO₂ fittings rated to 120 bar.

90° L/Radius Elbow C x C

CODE	SIZE INCH
B7000	3/8
B7001	1/2
B7002	5/8
B7003	3/4
B7004	7/8
B7015	1-1/8
B7016	1-3/8
B7017	1-5/8

90° L/Radius Street Elbow F x C

CODE	SIZE INCH
B7020	3/8
B7021	1/2
B7022	5/8
B7023	3/4
B7024	7/8
B7025	1-1/8
B7026	1-3/8
B7027	1-5/8

Equal Tee C x C x C

CODE	SIZE INCH
B7050	3/8
B7051	1/2
B7052	5/8
B7053	3/4
B7054	7/8
B7055	1-1/8
B7056	1-3/8
B7057	1-5/8

Coupling C x C

CODE	SIZE INCH
B7120	3/8
B7121	1/2
B7122	5/8
B7123	3/4
B7124	7/8
B7125	1-1/8
B7126	1-3/8
B7127	1-5/8

45° Street Elbow F x C

CODE	SIZE INCH
B7043	3/4
B7044	7/8
B7045	1-1/8
B7046	1-3/8
B7047	1-5/8

45° Elbow C x C

CODE	SIZE INCH
B7030	3/8
B7031	1/2
B7032	5/8
B7033	3/4
B7034	7/8
B7035	1-1/8
B7036	1-3/8
B7037	1-5/8

Reducing Tee C x C x C

(Last Size Branch)

CODE	SIZE INCH
B7064	1/2 x 1/2 x 3/8
B7065	1/2 x 3/8 x 3/8
B7066	5/8 x 5/8 x 3/8
B7068	5/8 x 1/2 x 1/2
B7067	5/8 x 5/8 x 1/2
B7063	3/4 x 3/4 x 1/2
B7069	3/4 x 3/4 x 5/8
B7071	7/8 x 7/8 x 1/2
B7072	7/8 x 7/8 x 5/8
B7070	7/8 x 7/8 x 3/4
B7073	1-1/8 x 1-1/8 x 3/4
B7074	1-1/8 x 1-1/8 x 7/8
B7075	1-1/8 x 7/8 x 1/2
B7087	1-3/8 x 1-3/8 x 3/4
B7076	1-3/8 x 1-3/8 x 7/8
B7077	1-3/8 x 1-3/8 x 1-1/8
B7088	1-5/8 x 1-5/8 x 3/4
B7089	1-5/8 x 1-5/8 x 7/8
B7090	1-5/8 x 1-5/8 x 1-1/8

Coupling (Reducing) C x C


CODE	SIZE INCH
B7112	1/2 x 3/8
B7107	5/8 x 1/2
B7113	3/4 x 5/8
B7109	7/8 x 3/4
B7019	1-1/8 x 1/2
B7018	1-1/8 x 7/8
B7079	1-3/8 x 1/2
B7080	1-3/8 x 5/8
B7081	1-3/8 x 3/4
B7082	1-3/8 x 7/8
B7078	1-3/8 x 1-1/8
B7083	1-5/8 x 3/4
B7084	1-5/8 x 7/8
B7085	1-5/8 x 1-1/8
B7086	1-5/8 x 1-3/8

End Cap

CODE	SIZE INCH
B7130	3/8
B7131	1/2
B7132	5/8
B7133	3/4
B7134	7/8
B7135	1-1/8
B7136	1-3/8
B7137	1-5/8

Fitting Reducer F x C

CODE	SIZE INCH
B7093	1/2 x 3/8
B7096	5/8 x 3/8
B7097	5/8 x 1/2
B7098	3/4 x 3/8
B7100	3/4 x 1/2
B7099	3/4 x 5/8
B7101	7/8 x 3/8
B7092	7/8 x 1/2
B7102	7/8 x 5/8
B7103	7/8 x 3/4
B7110	1-1/8 x 1/2
B7104	1-1/8 x 5/8
B7105	1-1/8 x 3/4
B7106	1-1/8 x 7/8
B7108	1-3/8 x 1-1/8
B7091	1-5/8 x 7/8
B7111	1-5/8 x 1-3/8



NOTE: 2-1/8" & 2-5/8" CO₂ fittings available to order please contact your local **FSW** for details